Interactive Functional Programs

MODELS, METHODS, AND IMPLEMENTATION

PETER ACHTEN

Manuscript commissie: prof. dr. H.P. Barendregt
dr. P. H. Hartel
prof. dr. M.P. Jones

CIP-GEGEVENS KONINKLIJKE BIBLIOTHEEK, DEN HAAG

Achten, Peter Martinus

Interactive functional programs : models, methods, and implementation / Peter Martinus Achten. – [S.l. : s.n.]. – Ill.
Proefschrift Katholieke Universiteit Nijmegen. – Met index, lit. opg. – Met samenvatting in het Nederlands.
ISBN 90-9009156-4
Trefw.: functionele programmering / programmeertalen.

Omslag ontwerp: Henri Achten en Peter Achten

Interactive Functional Programs

MODELS, METHODS, AND IMPLEMENTATION

een wetenschappelijke proeve op het gebied
van de Wiskunde en Informatica

Proefschrift

ter verkrijging van de graad van doctor
aan de Katholieke Universiteit Nijmegen,
volgens besluit van het College van Decanen
in het openbaar te verdedigen op
woensdag 28 februari 1996,
des namiddags te 3.30 uur precies

door

Peter Martinus Achten

geboren op 9 januari 1967 te Venlo

Febodruk bv, Enschede

Promotor: prof. dr. ir. M.J. Plasmeijer

The work in this thesis has been carried out under the auspices of the research school IPA (Institute for Programming research and Algorithmics).

Acknowledgements

The research described in this PhD.Thesis has been established as a member of the 'Clean-team' at the Department of Functional Programming of the Computing Science Institute at the University of Nijmegen. The results presented in this thesis could not have come into existence without the close interaction between the people at this department. This department and the department of Foundations of Mathematics and Informatics under supervision of Henk Barendregt, sharing the same corridor, provided a stimulating and friendly working environment. I would like to thank Rinus Plasmeijer for his confidence, enthousiasm, criticism and the countless many discussions on countless many topics, Marko van Eekelen who often contributed valuable third opinions, my roommates Luc Rutten, Halbe Huitema, Wibe Wagemans, and Marco Pil (in order of appearance) for creating a relaxed atmosphere. I would like to thank the members of the manuscript committee, Henk Barendregt, Pieter Hartel, and Mark Jones, for their effort in judging the manuscript.

The concept of uniqueness typing, when conceived, was immediately recognized by everybody in the research team as an exciting and major contribution to the theory, implementation, and practice of functional graph rewriting languages. I would like to acknowledge the input of Sjaak Smetsers and Erik Barendsen who have spent a lot of research effort to investigate the ins and outs of uniqueness typing. Sjaak Smetsers also contributed significantly to the research project with respect to the design and implementation of the type system of Clean, concerning uniqueness types, existential types, type classes and constructor classes.

The implementation of the various I/O systems on the various platforms has had a considerable help from many people. I would like to thank John van Groningen for kick-off implementations and Ronny Wichers Schreur for helping me to find my way inside Macintosh. Leon Pillich deserves the honor to be the very first person to port the I/O system to a completely different platform than the Macintosh. Together we studied the X Window system. Approximately in the same period Halbe Huitema picked up the work of Leon and also gave important contributions to the implementation and definition of the Clean I/O system. The port of the I/O system to OS/2 has been started by Tom van Megen and Dirk van Dalen, continued by Johnny Willemsen and Peter Jansen, and finished by Eric Nöcker. Finally, I would like to thank the students who have tested the everchanging I/O system in practice for their valuable feedback.

Last but not least, I would like to thank Henri Achten for his help in the design of the cover, and allowing me to consume his personal cpu-time for rendering the cover illustration.